

ELEPHANT SNOT – GRAFFITI REMOVER

It is the workhorse of the most difficult of porous surface requirements. Elephant Snot penetrates deeply into concrete, cement, brick, grout, stone, virtually anything porous to dissolve and loosen all types of tags, and in many circumstances, simple water hose pressure will do the job.

Recommended for removal on:

Brick, mortar, masonry, cement, concrete, stucco, terrazzo, landscaping pavers, porous tile. Natural stone surfaces such as granite, marble, sandstone, rocks, both porous/rough or polished. Also effective on: glass, ceramic, porcelain, glazed tiles, porous tile, grout.

Features & Benefits:

- Non-drip formula for easy application without messy runs and drips.
- Fast removals clings to the surface for maximum penetration and maximum speed of removal.
- Low odor with minimum or no ventilation requirement for added safety, indoors or out.
- Water hose pressure removal option for "no pressure washer required" benefits.
- Nonflammable, non-combustible, minimal fire hazard formulary.

• All temperature effective removals from freezing cold to "very hot" conditions.



1 Gallon \$65.00 + shipping #ELESNOT-1GAL

5 Gallons \$300.00 + shipping #ELESNOT-5GAL



TUCKER 25' CARBON FIBER POLE W/

 Actual Length: 21' •Weight: 4lbs •Length of Sections: 5' •# of Sections: 4 HI Modulus Rating: 42 MSI



\$700.00 + shipping #8600

HEAD Pole is made of premium carbon fiber material and is lightweight. The clamp bodies are made from a light weight heavy duty plastic material. The clamps operate with a smooth action and have superior holding strength, they are bolted on (not glued) for easier service. The pole tip is a euro thread that is attached short section, this is great for nose to glass work and serves as an awesome handheld mini pole. Included is the adjustable gooseneck with built in acme tip, Nylon Dual trim brush and 100' of RED premium pole hose and fittings.

TUCKER ALPHA HYBRID BRUSH 12"

The Tucker Alpha Hybrid brush includes the nylon brush with 4 pencil jets internally plumbed for rinse inside the bristles as well as our lightweight anodized aluminum rinse bar and the swivel gooseneck. This provides the user with the option of rinsing inside the bristles, over the top with the rinse bar, or both if you incorporate a Y fitting to supply water to both the inside pencil jets and the rinse bar.





GENERATION III VERSAJET TWIN PUMP SYSTEM W/ TITAN REEL

- Heavy-duty 1/8" aluminum frame
- Dual 6gpm@70psi Flojet Versajet pumps w/ poly head
- 1/2" Banjo Cam Lock QC
- Dual 40 mesh inlet filtration
- Battery Box (battery not included)
- 250' 1/2" Kuri-tech chemical line
- Chemical resistant trigger gun w/ Viton seals
- 4 nozzle holder with nozzles
- 20" stainless steel lance with QC
- Flojet Accumulator
- 12" Titan hose reel with SS Plumbing

\$1500.00 + shipping #5402V



EAGLE SERIES BELT DRIVE 5.6@2500



Gas engine, Belt Drive. Pumps turn at lower RPM allowing for a better draw from the tank, as well as producing less pump wear.

Rated for 5.6 GPM @ 2500 PSI

GX390 Honda Engine, HP Pump

Cart Model Only

\$1400.00 + shipping #EB5525HG



OIL ONLY ABSORBANT SOCK



Place in the path of water discharge to absorb the oils from wash water. This product also acts as a berming material to help with solids settling. Use over and over in washing, or place in trenched to absorb oil in runoff.

4 Foot \$5.00 + shipping #5030 8 Foot \$10.00 + shipping #5031

Help meet your communities discharge requirements, helps to comply with Best Management Practice.

PULSAR 4 UNLOADER

- 4,500 PSI
- 10 GPM
- 195° F
- All SS valves
- Forged Body
- Dual 3/8" FPT Inlet
- 3/8" FPT Outlet
- Dual 3/8" FPT Bypass

\$40.00 + shipping #2827



